ELSEVIER

Talanta 49 (1999) 1109–1115

Talanta

Volume Contents

Volume 49 (1999)

No. 1 **June 1999**

Review article

Recent advances in the determination of the platinum group elements and gold
R.R. Barefoot and J.C. Van Loon (Toronto, Canada) 1

Regular papers

Comparison of conventional filtration and a denuder-based methodology for sampling of particulate-phase mercury in ambient air
J.Y. Lu and W.H. Schroeder (Toronto, Canada) 15

Association constants for the $NaSO_4^-$ ion pair in concentrated cesium chloride solutions
S.G. Capewell, G.T. Hefter and P.M. May (Murdoch, Australia) 25

Cathodic adsorptive stripping voltammetric determination of uranium with potassium hydrogen phthalate
O.A. Farghaly (Qena, Egypt) and M.A. Ghandour (Assiut, Egypt) 31

Determination of carbidic carbon in steels
K.K. Gupta, D. Ghosh, A.N. Bhagat, J. Biswas, S. Chakravarty and S. Ranganathan (Jamshedpur, India) 41

Determination of fosfomycin by indirect spectrophotometric method
Y.-L. Hu, Y.-Q. Feng, Q.-H. Zhang and S.-L. Da (Wuhan, People's Republic of China) 47

Polarographic determination of deltamethrin
K. Samatha and N.Y. Sreedhar (Tirupati, India) 53

Square-wave anodic stripping voltammetric determination of thallium(I) at a Nafion/mercury film modified electrode
T.-H. Lu, H.-Y. Yang and I.W. Sun (Tainan, Taiwan ROC) 59

Lead selective lipophilic acyclic diionizable polyethers
J. Seung Kim (Nonsan, South Korea), M. Hwan Cho, S. Chul Lee (Chuncheon, South Korea), J. Hyun Pang (Nonsan, South Korea), J. Hae Lee (Taejon, South Korea) and A. Ohki (Kagoshima, Japan) 69

Photochemical fluorescence enhancement of the terbium–lomefloxacin complex and its application
Z. Tieli, Z. Huichun and J. Linpei (Beijing, PR China) 77

A new selenite selective membrane electrode and its application
G. Ekmekçi and G. Somer (Ankara, Turkey) 83

Preparation and properties of solid state selenite ion selective electrodes and their applications
G. Ekmekçi and G. Somer (Ankara, Turkey) 91

UV–Vis spectroscopic and chemometric study on the aggregation of ionic dyes in water
L. Antonov, G. Gergov, V. Petrov (Sofia, Bulgaria), M. Kubista and J. Nygren (Gothenburg, Sweden) 99

Photochemically-induced fluorescence determination of sulfonylurea herbicides using micellar media
A. Coly and J.-J. Aaron (Paris, France) 107

Solid-phase extraction and spectrophotometric determination of trace amounts of copper in water samples
Y. Yamini and A. Tamaddon (Tehran, Iran) 119

A low consumption air-segmented sequential injection vapor generation system for the determination of mercury by atomic absorption spectrometry
H.-B. Ma, Z.-L. Fang, J.-F. Wu and S.-S. Liu (Shenyang, China) 125
Direct determination of bismuth, indium and lead in sea water by Zeeman ETAAS using molybdenum containing chemical modifiers
O. Acar, A.R. Türker and Z. Kılıç (Ankara, Turkey) 135
Simultaneous kinetic spectrophotometric determination of spironolactone and canrenone in urine using partial least-squares regression
E. Martín, A.I. Jiménez, O. Hernández, F. Jiménez and J.J. Arias (La Laguna, Spain). 143
A chemometric study of the simultaneous determination of calcium and magnesium in natural waters
F. Blasco Gómez, F. Bosch Reig and P. Campíns Falcó (Valencia, Spain) 155
Source apportionment of inorganic ions in airborne urban particles from Coruña city (N.W. of Spain) using positive matrix factorization
P. Prendes, J.M. Andrade, P. López-Mahía and D. Prada (A Coruña, Spain) 165
Determination of mono- and sesquiterpenes in water samples by membrane inlet mass spectrometry and static headspace gas chromatography
M. Ojala, R.A. Ketola, T. Mansikka, T. Kotiaho (VTT, Finland) and R. Kostiainen (Helsinki, Finland). 179
Performing procrustes discriminant analysis with HOLMES
D. González-Arjona, G. López-Pérez and A.G. González (Seville, Spain). 189
Analysis of 5-vinyl-1,3-oxazolidine-2-thione in complex matrices at ppb level
N. Mabon, J.-P. Wathelet and M. Marlier (Gembloux, Belgium). 199
Comparison of two methods for the optimization of the analytical conditions for the determination of total sulfur
T.A.P. Rocha, M.T.S.R. Gomes, A.C. Duarte and J.A.B.P. Oliveira (Aveiro, Portugal) 207
Flow injection dialysis for the determination of anions using ion chromatography
K. Grudpan, J. Jakmunee and P. Sooksamiti (Chiang Mai, Thailand). 215

Book Reviews. 225

No. 2 **June 1999**

Regular papers
Determination of methanol and ethanol by gas chromatrography following air sampling onto florisil cartridges and their concentrations at urban sites in the three largest cities in Brazil
P.A. de Paula Pereira, E.T. Sousa Santos, T. de Freitas Ferreira and J.B. de Andrade (Salvador, Brazil). 245
Several modified piezoelectric quartz crystals for determination of omethoate
F. Cheng, W. Xianbao, Z. Wuming and Z. Xingyao (Wuhan, People's Republic of China) 253
Determination of the partition coefficient of triflupromazine between phosphatidylcholine vesicles and water by ^{19}F nuclear magnetic resonance spin-lattice relaxation time measurement
K. Kitamura, M. Yamamoto, S. Takegami (Kyoto, Japan) and M. Sugiura (Kobe, Japan) 261
Inexpensive, in-situ monitoring of borohydride concentrations
S. Amendola, P. Onnerud, M.T. Kelly and M. Binder (Cranbury, USA) 267
Potentiometric determination of potassium cations using a nickel(II) hexacyanoferrate-modified electrode
R.J. Mortimer (Leicestershire, UK), P.J.S. Barbeira (Belo Horizonte (MG), Brazil), A.F.B. Sene and N.R. Stradiotto (Preto (SP), Brazil). 271
The structural composition of humic compounds as indicator of organic carbon sources
N. Calace, M. Capolei, M. Lucchese and B.M. Petronio (Rome, Italy) 277
Comparison of three derivatization reagents for the analysis of Se(IV) based on piazselenol formation and gas chromatography-mass spectrometry
J.L. Gómez-Ariza (Huelva, Spain), J.A. Pozas (Sevilla, Spain), I. Giráldez and E. Morales (Huelva, Spain) 285
Optimization of performance and minimization of silicate interference in continuous flow phosphate analysis
J.-Z. Zhang, C.J. Fischer and P.B. Ortner (Miami, USA) 293
Improvement of a monitoring tape for nitrogen dioxide in air
K. Nagashima and N. Nakano (Tokyo, Japan) 305

An empirical relationship between distribution coefficients of phenols by polyurethane foams and their octanol–water distribution constants and pK_a values
S.G. Dmitrienko, E.N. Myshak and L.N. Pyatkova (Moscow, Russia) 309
A study on electrochemistry of histidine and its metabolites based on the diazo coupling reaction
C. Guo Nan, W. Xiao Ping, D. Jian Ping and C. Hong Qing (Fuzhou, PR China) 319
Investigation on the relationship between analytical precision and concentration with iteratively reweighted least-squares linear regression method
Z. Gao, X. He, G. Zhang, Y. Li and X. Wu (Tianjin, People's Republic of China) 331
Complexation and fluorescence behavior of diazacrown ether carrying two anthryl pendants
K. Kubo (Fukuoka, Japan), R. Ishige and T. Sakurai (Yokohama, Japan) 339
Measurement of dioxygen by electrocatalytic reduction on microelectrodes modified with Nafion and methyl viologen
W. Sun, J. Xue, J. Chen, L. Mao, L. Jin (Shanghai, People's Republic of China), K. Yamamoto, S. Tao (Tokyo, Japan) and J. Jin (Gifu, Japan) 345
The application of chemical modification in electrothermal vaporization-inductively coupled plasma atomic emission spectrometry
B. Hu, Z. Jiang, T. Peng and Y. Qin (Wuhan, People's Republic of China) 357
A potentiometric detector for hydrogen cyanide gas using silver dicyano complex
V. Kameswara Rao, S. Suresh, A. Bhattacharya and N.B.S.N. Rao (Gwalior, India) 367
Determination of total proteins: a study of reaction between quinones and proteins
D.A.M. Zaia, W.A. Verri, Jr. and C.T.B.V. Zaia (Londrina, Brazil) 373
Fluorescence energy transfer between Acridine Orange and Safranine T and its application in the determination of DNA
Y. Cao, X. He, Z. Gao and L. Peng (Tianjin, People's Republic of China) 377
Calibration of the Hg chalcogenide glass membrane ion-selective electrode in seawater media
R. De Marco and J. Shackleton (Perth, Australia) 385
Determination of organophosphorus pesticides in water by solid-phase microextraction
P.-G. Su and S.-D. Huang (Hsinchu, Taiwan, ROC) 393
A stopped-flow microdialysis sampling-flow injection system for automated multivessel high resolution drug dissolution testing
Q. Fang, S.-S. Liu, J.-F. Wu, Y.-Q. Sun and Z.-L. Fang (Shenyang, China) 403
Effect of tetrabutylammonium chloride as eluent modifier on the retention and enantioselectivity of D,L-dansyl amino acids using immobilized human serum albumin
E. Peyrin and Y.C. Guillaume (Besançon, France) 415
Combination of amperometric detector & UV detector for capillary electrophoresis
X. Huang, T. You, X. Yang and E. Wang (Changchun, China) 425
Computational program for evaluating and optimizing response–surface curves based on uniform shell designs
A. Gustavo González and D. González-Arjona (Seville, Spain) 433
Voltammetric determination of the phenolic antioxidants 3-tert-butyl-4-hydroxyanisole and tert-butyl-hydroquinone at a polypyrrole electrode modified with a nickel phthalocyanine complex
C. de la Fuente, J.A. Acuña, M.D. Vázquez, M.L. Tascón and P. Sánchez Batanero (Valladolid, Spain) 441
Simultaneous determination of caffeine and non-steroidal anti-inflammatory drugs in pharmaceutical formulations and blood plasma by reversed-phase HPLC from linear gradient elution
M.J. Martín, F. Pablos and A.G. González (Seville, Spain) 453
Normal-phase high-performance liquid chromatographic determination of spiramycin in eggs and chicken
N. Furusawa (Osaka, Japan) 461

Short communications

Determination of traces of Ni, Co and Fe in Li_2CO_3/K_2CO_3 melts by flame atomic absorption spectrometry
S. Scaccia (Rome, Italy) 467
Solution equilibria between ethylenediamine-*N*,*N*′-di-3-propionate and some transition metal(II) ions
J. Disic, S. Trifunovic, S. Grujic and P. Djurdjevic (Kragujevac, Yugoslavia) 473

No. 3 **July 1999**

Regular papers

Trace determination of zinc in standard alloys, environmental and pharmaceutical samples by fourth derivative spectrophotometry using 1-2-(thiazolylazo)-2-naphthol as reagent and ammonium tetraphenylborate supported on naphthalene as adsorbent
A. Bhalotra and B.K. Puri (New Delhi, India) 485
Spectrophotometric study on the supramolecular interactions of nile blue sulphate with nucleic acids
C.Z. Huang, Y.F. Li, D.J. Zhang and X.P. Ao (Chongqing, People's Republic of China) 495
Asynchronous merging zones system: spectrophotometric determination of Fe(II) and Fe(III) in pharmaceutical products
A.F. Oliveira, J.A. Nóbrega and O. Fatibello-Filho (São Carlos, Brazil) 505
Studies on 1:12 phosphomolybdic heteropoly anion film modified carbon paste electrode
L. Guanghan, W. Xiaogang, L. Yanhua and Y. Shenlai (Wuhan, People's Republic of China) 511
End-column amperometric detection of melatonin by high performance capillary electrophoresis
T. You, Z. Liu, X. Yang and E. Wang (Changchun, China) 517
Determination of arsenic in sea water by sorbent extraction with hydride generation atomic absorption spectrometry
S. Karthikeyan, T. Prasada Rao and C.S.P. Iyer (Trivandrum, India). 523
Spectrophotometric study of the reaction of iodine and bromine with two new macrocycle diamides and di-ortho methoxybenzoyl thiourea in chloroform solution
H. Sharghi, A.R. Massah and M. Abedi (Shiraz, Iran) 531
Multiwavelength spectrophotometric determination of acid dissociation constants: Part IV. Water-insoluble pyridine derivatives
K.Y. Tam (Forest Row, UK), M. Hadley and W. Patterson (Tonbridge, UK). 539
New approach for screening polycyclic aromatic hydrocarbons in water samples
E.D. Hagestuen and A.D. Campiglia (Fargo, USA) 547
The use of 1-[pyridyl-(2)-azo]-naphthol-(2) in the presence of TX-100 and *N,N'*-diphenylbenzamidine for the spectrophotometric determination of copper in real samples
M. Thakur and M.K. Deb (Raipur, India) 561
Different valency chlorine species analysis by non-suppressed ion-chromatography with double cell quartz crystal detector
P. Chen, W.-Z. Wei and S.-Z. Yao (Changsha, People's Republic of China) 571
Influence of the guests, the type and degree of substitution on inclusion complex formation of substituted β-cyclodextrins
Á. Buvári-Barcza and L. Barcza (Budapest, Hungary) 577
Simultaneous spectrophotometric determinations of cobalt, nickel and copper using partial least squares based on singular value decomposition
T. Khayamian, A.A. Ensafi and B. Hemmateenejad (Isfahan, Iran) 587
Fast determination of calcium, magnesium and zinc in honey using continuous flow flame atomic absorption spectrometry
I. López-García, P. Viñas, C. Blanco and M. Hernández-Córdoba (Murcia, Spain) 597
Separation and transport of lithium of 10^{-5} M in the presence of sodium chloride higher than 0.1 M by 2,3,7,8,12,13,17,18-octabromo-5,10,15,20-tetrakis(4-sulfonatophenyl)porphyrin
H. Sun and M. Tabata (Saga, Japan) 603
Electrochemical studies and square wave adsorptive stripping voltammetry of the antidepressant fluoxetine
A.M.S. Roque da Silva, J.C. Lima, M.T. Oliva Teles (Porto, Portugal) and A.M. Oliveira Brett (Coimbra, Portugal) 611
Determination of arsenic compounds in reference materials by HPLC-(UV)-HG-AFS
Z. Šlejkovec, J.T. van Elteren (Delft, Netherlands) and A.R. Byrne (Ljubljana, Slovenia) 619
pH-Metric determination of acid values in oilseeds without titration
I. Kuselman, Y.I. Tur'yan, T. Burenko, I. Goldfeld and B. Anisimov (Jerusalem, Israel). 629

Flow injection potentiometry for enzymatic assay of cholesterol with a tungsten electrode sensor
M. Situmorang, P.W. Alexander and D.B. Hibbert (Sydney, Australia) 639
Chemical accumulation and voltammetric determination of traces of nickel(II) at glassy carbon electrodes modified with dimethyl glyoxime containing polymer coatings
C. Bing, R. Deen, G.N. Khang, C.L. Sai (Singapore) and L. Kryger (Aarhus C, Denmark) 651
Potentiometric detection of ascorbate using a graphite carbon electrode
Z.L. Chen (Nedlands, Australia) and J.C. Yu (Hong Kong, People's Republic of China) 661
The use of polymers coupled with metallised electrodes to allow H_2O_2 detection in the presence of electrochemical interferences
D.J. Daly, C.K. O'Sullivan and G.G. Guilbault (Cork, Ireland) 667
Synchronous-derivative phosphorimetric determination of 1- and 2-naphthol in irrigation water by employing β-cyclodextrin
M. Hernández López, M. Algarra González and M. Isabel López Molina (Malaga, Spain) 679
Solid-phase UV spectroscopic multisensor for the simultaneous determination of caffeine, dimenhydrinate and acetaminophen by using partial least squares multicalibration
M.J.A. Cañada, M.I.P. Reguera, A.M. Díaz (Jaén, Spain) and L.F. Capitán-Vallvey (Granada, Spain) 691
Voltammetric determination of traces of Cr(VI) in the flow system in the presence of bipyridyne
M. Korolczuk and M. Grabarczyk (Lublin, Poland) 703

No. 4 **April 1999**

Regular papers

In-situ external reflection FTIR spectroelectrochemical and XPS investigations of cobalt-cyanometallates as inorganic polymeric materials on a platinum electrode
A. Li Bo (Changchun, China) and X. Qin Lin (Hefei, China) 717
Determination of cadmium in sewage sludge by differential pulse anodic stripping voltammetry
R.A. Pacer, C.K. Scott Ellis and R. Peng (Fort Wayne, USA) 725
Synthesis, complexation, and fluorescence behavior of armed crown ethers carrying naphthyl group
K. Kubo (Fukuoka, Japan), S. Sakaguchi and T. Sakurai (Yokohama, Japan) 735
Determination of gaseous acidic compounds by measuring fluorescence after their reaction with tetra-substituted amino aluminum phthalocyanine
D.-H. Li, Q.-Y. Chen, Q.-Z. Zhu, F. Li, H. Zheng, S.-Y. Yang and J.-G. Xu (Xiamen, China). . . . 745
DNA-modified electrodes; part 4: optimization of covalent immobilization of DNA on self-assembled monolayers
Y.-D. Zhao, D.-W. Pang, S. Hu, Z.-L. Wang, J.-K. Cheng (Wuhan, PR China) and H.-P. Dai (Xiamen, China). 751
Transport of organic dyes through ether-type polyurethane membrane
K. Rzeszutek and A. Chow (Winnipeg, Canada) 757
Solid-phase extraction with liquid chromatography and ultraviolet detection for the assay of antidepressant drugs in human plasma
A. Bakkali, E. Corta, J.I. Ciria, L.A. Berrueta, B. Gallo and F. Vicente (Bilbao, Spain) 773
Extraction equilibria of various metal picrates with 19-crown-6 between benzene and water. Effect of the extra methylene group on extraction ability and selectivity
S. Katsuta, M. Kanazawa, Y. Takeda (Chiba, Japan) and M. Ouchi (Hyogo, Japan). 785
Determination of bromhexine in cough–cold syrups by absorption spectrophotometry and multivariate calibration using partial least-squares and hybrid linear analyses. Application of a novel method of wavelength selection
H.C. Goicoechea (Santa Fe, Argentina) and A.C. Olivieri (Rosario, Argentina) 793
Modelling the matrix interference of iron in the multivariate determination of copper by stripping voltammetry: Instrument standardization
A. Herrero and M. Cruz Ortiz (Burgos, Spain) 801

Near infrared thermal lens spectrometry for the real-time monitoring of supercritical fluid extraction
J. Amador-Hernández, J.M. Fernández-Romero and M.D. Luque de Castro (Córdoba, Spain) 813
Properties of a high capacity iminodiacetate–agarose adsorbent and its application in a flow system with on-line buffering of acidified samples for accumulation of metal ions in natural waters
P. Hashemi, B. Noresson and Å. Olin (Uppsala, Sweden) 825
Chelating 2-mercaptobenzothiazole loaded resin. Application to the separation of inorganic and alkylmercury species for their atomic absorption spectrometry determination in natural waters
J. Chwastowska, A. Rogowska, E. Sterlińska and J. Dudek (Warsaw, Poland) 837
Spectrophotometric determination of the dissociation constants of methyl yellow in mixed protic solvents
J. Fan, X. Shen and J. Wang (Henan, People's Republic of China) 843
A practical and accurate method for the determination of ^{234}Th simultaneously with ^{210}Po and ^{210}Pb in seawater
G. Kim, N. Hussain, T.M. Church (Newark, USA) and H.-S. Yang (Pusan, South Korea) 851
A potentiometric and spectrophotometric study on acid–base equilibria in ethanol-aqueous solution of acetazolamide and related compounds
E.E. Chufán, F.D. Suvire, R.D. Enriz and J.C. Pedregosa (San Luis, Argentina) 859
Analysis of trace metals in water by in-situ sample pre-concentration combined with wavelength dispersive X-ray fluorescence spectroscopy and inductively coupled plasma-optical emission spectroscopy
M.E. McComb and H.D. Gesser (Mannitoba, Canada) 869
Spectrofluorimetric determination of cisatracurium and mivacurium in spiked human serum and pharmaceuticals
R. Fernández, M.A. Bello, M. Callejón, J.C. Jiménez and A. Guiraúm (Seville, Spain) 881
Parafac decomposition of three-way kinetic-spectrophotometric spectral matrices corresponding to mixtures of heavy metal ions
J.C.G. Esteves da Silva and C.J.S. Oliveira (Porto, Portugal) 889
Determination of Cu(II) and Zn(II) using silica gel loaded with 1-(2-thiasolylazo)-2-naphthol
O. Zaporozhets, N. Petruniock, O. Bessarabova and V. Sukhan (Kyiv, Ukraine) 899
Low-level mercury determination with thiamine by fluorescence optosensing
A. Segura-Carretero (Granada, Spain), J.M. Costa-Fernández, R. Pereiro and A. Sanz-Medel (Oviedo, Spain) 907
Speciation of selenium (IV) in natural waters by solid phase spectrophotometry
M.C. Valencia, E. Arana Nicolas and L.F. Capitán-Vallvey (Granada, Spain) 915
A sensitive colorimetric method for the micro determination of iodine in marine water
O. Agrawal, G. Sunita and V.K. Gupta (Raipur, India) 923
Determination of trace rare earth elements by X-ray fluorescence spectrometry after preconcentration on a new chelating resin loaded with thorin
I.E. De Vito, A.N. Masi and R.A. Olsina (San Luis, Argentina) 929
Anomalies in the spectrophotometric and extractive behaviour of zirconium and hafnium: Evidence of a synergistic effect
P. Peralta-Zamora (Curitiba, Brazil) and J.W. Martins (Campinas, Brazil) 937

Errata 943
Book reviews 947

No. 5 **August 1999**

Special Issue: Papers presented at the Ninth International Conference on Flow Injection Analysis (ICFIA '98) held in Seattle, Washington, USA, August 23–27, 1998.

SIAmate—a compact and modular sequential injection analysis controller
N. Kullberg, M. Vilén, P. Sund, M. Talaslahti and R. Sara (Abo, Finland) 961

Automated nucleic acid isolation and purification from soil extracts using renewable affinity microcolumns in a sequential injection system
D.P. Chandler, B.L. Schuck, F.J. Brockman and C.J. Bruckner-Lea (Richland, WA, USA) 969
Does the chromatomembrane cell improve the quality of environmental analysis?
J. Simon (Berlin, Germany) and L.N. Moskvin (St. Petersburg, Russian Federation) 985
Design of two channel flow cells for simultaneous determination of copper and iron
T. Sakai, Y. Maeda (Toyota, Japan) and N. Ura (Tokyo, Japan) 989
On-line extraction-spectrophotometric determination of neostigmine in pharmaceuticals using double membrane phase separator and monovalent dyestuff
T. Sakai, X. Liu and Y. Maeda (Toyota, Japan) 997
Simultaneous potentiometric determination of ClO_3^-–ClO_2^- and ClO_3^-–HClO by flow injection analysis using Fe(III)–Fe(II) potential buffer
H. Ohura, T. Imato and S. Yamasaki (Fukuoka, Japan) 1003
Simultaneous flow injection determination of calcium and fluoride in natural and borehole water with conventional ion-selective electrodes in series
J.F. van Staden and R.I. Stefan (Pretoria, South Africa) 1017
Flow injection spectrophotometric or conductometric determination of ascorbic acid in a vitamin C tablet using permanganate or ammonia
K. Grudpan, K. Kamfoo and J. Jakmunee (Chiang Mai, Thailand) 1023
Selective flow injection analysis of ultra-trace amounts of Cr(VI), preconcentration of it by solvent extraction, and determination by electrothermal atomic absorption spectrometry (ETAAS)
S.C. Nielsen (Lyngby, Denmark), S. Stürup (Roskilde, Denmark), H. Spliid and E.H. Hansen (Lyngby, Denmark) 1027
Chromium speciation using an automated liquid handling system with inductively coupled plasma — mass spectrometric detection
M.K. Donais, R. Henry and T. Rettberg (Franklin, MA, USA) 1045
Chemiluminescence method for the assay of perphenazine in drug formulation using permanganate in sulphuric acid with flow injection technique and a chemometrical optimization approach
S.M. Sultan, A.M.S. Abdennabi and A.M. Almuaibed (Dhahran, Saudi Arabia) 1051
Determination of iron(II) and total iron in environmental water samples by flow injection analysis with column preconcentration of chelating resin functionalized with *N*-hydroxyethylethylenediamine ligands and chemiluminescence detection
S. Hirata (Hiroshima, Japan), H. Yoshihara and M. Aihara (Higashi-Hiroshima, Japan) 1059
Optimization for detection of flunarizine by high performance liquid chromatography/electrospray/mass spectrometry
M.-R.S. Fuh, C.-J. Hsieh and Y.-L. Tai (Taipei, Taiwan, ROC) 1069
Flow-injection spectrophotometry of manganese by catalysis of the periodate oxidation of 2,2′-azinobis(3-ethylbenzothiazoline-6-sulfonic acid)
S. Nakano, K. Tanaka, R. Oki (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 1077
Catalytic flow injection determination of vanadium by oxidation of *N*-(3-sulfopropyl)-3,3′,5,5′-tetramethylbenzidine using bromate
T. Shiobara, N. Teshima, M. Kurihara (Tsukuba, Japan), S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 1083
Catalytic determination of cobalt at sub-nanogram levels using the oxidative coupling of 3-methyl-2-benzothiazolinone hydrazone with *N*-ethyl-*N*-(2-hydroxy-3-sulfopropyl)-3,5-dimethoxyaniline by manual and flow-injection methods
T. Fujimoto, N. Teshima, M. Kurihara (Tsukuba, Japan), S. Nakano (Tottori, Japan) and T. Kawashima (Tsukuba, Japan) 1091
Spectrophotometric determination of Cu(II) with sequential injection analysis
J.F. van Staden and A. Botha (Pretoria, South Africa) 1099

Volume contents 1109
Author index 1117
Subject index 1121